



# PRODUCT CATALOGUE

**SANYO METAL WORKS**


<https://www.sanyo-mt.co.jp/en/>





## Management Policy

“Provide quality with peace of mind and satisfaction.”



<Miki is the world-famous city of cutting tools>

Sanyo Metal is located in Miki City which is famous for cutting tools for more than 400 years. Four of our factories are in this city and we manufacture high-quality cutting tools and blades for use in agricultural, gardening, horticulture, and forestry machinery.

<"Made in Japan" "Made by Sanyo">

Sanyo Metal produces high-quality products by an integrated manufacturing system with various types of machines, equipment, and the latest facilities. Employees use creativity and ideas to enhance operations, improve safety, and reduce the costs of products to deliver reliable products to customers through strict quality inspections targeting all products. Sanyo Metal is committed to satisfying the needs of our customers and contributing to the society by developing better products.



Head Quarters



Torimachi 2nd factory




Tomoe factory



Tomoe 1st factory

## Company Policy

To become a company that is trusted by societies



1. Produce trustworthy products
2. Establish trustworthy technologies
3. Develop trustworthy people

## Vision

We aim to achieve lasting growth as a company that provides reliable quality products based on the theme of safety and peace of mind through environmentally friendly technology to the world.

## Mission

- ① We hope that users around the world will enjoy using our products, and will contribute to enriching societies.
- ② We contribute to local societies through business and do our best to make our employees, their families, and everyone related to our company happy.



ISO Certification



JIS Certification



神戸環境マネジメントシステム  
Kobe Environmental Management System  
認証 No. KEMS1-0459



2016  
製品安全対策優良企業  
主催：経済産業省


Good Commission for Product Safety  
Measures by the Japanese government.



ひょうご SDGs  
Hyogo SDGs




























Hyogo "Only-One" companies



地域未来牽引企業  
Companies Driving  
Regional Growth



Contents

Grass Light vegetation	Bush Heavy vegetation	Thin trees Bamboos	Water Vegetable field	Trees Fruit farm	Garden
 ...P6	 ...P7		 ...P13	 ...P16	 ...P13
 ...P6	 ...P7		 ...P14	 ...P18	 ...P17
 ...P6	 ...P7		 ...P14		 ...P17
 ... P9・10			 ...P14		
 ...P12		 ...P7	 ...P15		
 ...P18・19	 ...P7		 ...P15		
 ...P11	 ...P9		 ...P15		
			 ...P19		





2T

Economic - Can be used on both sides



2T (A)

Code	Specification	Qty/Carton
420	2T×255×1.6A×25.4	60
422	2T×305×1.6A×25.4	60
427	2T×305×1.8A×25.4	60
428	2T×305×2.0A×25.4	60



2T (B)

Code	Specification	Qty/Carton
421	2T×255×1.6B×25.4	60
423	2T×305×1.6B×25.4	60
429	2T×305×2.0B×25.4	60
439	2T×355×2.0B×25.4	40



2T (WR)

Code	Specification	Qty/Carton
437	2T×255×1.8WR×25.4	60
438	2T×305×1.8WR×25.4	60

4T

Economic - Can be used on both sides



Code	Specification	Qty/Carton
125017	E4T×230×1.8×25.4	25
125018	E4T×255×1.8×25.4	25

8T



Code	Specification	Qty/Carton
125011	8T×230×1.4×25.4	25
125009	8T×255×1.4×25.4	25

3T

Economic - Can be used on both sides



Code	Specification	Qty/Carton
125015	KE3T×255×1.8×25.4	25
125001	KE3T×255×3.0×25.4	25
125002	KE3T×305×3.0×25.4	25
125004	KE3T×305×4.0×25.4	25

30T・50T・80T

More teeth and Less debris scattering



Code	Specification	Qty/Carton
125005	30T×255×1.4×25.4	25
125023	50T×250×1.8×25.4	25
125014	80T×200×1.6×25.4	25
125010	80T×255×1.4×25.4	25


Clearing Saw Blade



Point

Sharp teeth shape

- 2 side grind teeth cut trees easily.
- Chainsaw shaped teeth grab the objects surely and cut very well.



Situation Image



Code	Specification	Qty/Carton
0340	24T×225×1.8×25.4	25
0341	26T×250×1.8×25.4	25



# Tungsten Carbide Tipped Saw (TCT Blade)



## Features and Benefits

Sanyo's TCT blades are used pure tungsten carbide.  
It is hard to wear out and it keeps sharpness for a long time.  
Also, the Tips of the saw blade are very hard to fall off by Sanyo's original brazing technique.  
Recommended for all users because the blades can be used longer time safely without maintenance.  
And thanks to its hard tip, it is good to use from Light to Heavy vegetation.



↑ Tip brazing durability test





↑ Impact test (ISO 11806)

## How TCT blades are made?



## HIRYU



For Grass & Light vegetation



Code	Diameter x Teeth number (T)	Qty/Carton
125042	255×40T	25

## AOIRYU



For Heavy vegetation & Bushes



Code	Diameter x Teeth number (T)	Qty/Carton
125037	255×36T	25

## SHIROIRYU



For Bushes & Thin trees (Bamboos)



Code	Diameter x Teeth number (T)	Qty/Carton
125043	255×40T	25

## KINRYU


For Long & Soft grass



Code	Diameter x Teeth number (T)	Qty/Carton
125040	255×40T	25

## GANKO

For Stony area



Code	Diameter x Teeth number (T)	Qty/Carton
125038	255×40T	25

## Zackal

Lower cut in stony area




Code	Diameter x Teeth number (T)	Qty/Carton
125041	255×40T	25





## 24T STANDARD TYPE



- By its tip-brazed angle and original bump, the blade life becomes much longer.
- By large space between teeth, the teeth gather grasses a lot once and cut sharply.

Code	Diameter x Teeth number (T)	Qty/Carton
125029	255×24T	25


## 36T STANDARD TYPE



- From garden maintenance to forest-side maintenance, perfect.
- Can cut up to 5cm thin trees thanks to its strong blade body without holes.

Code	Diameter x Teeth number (T)	Qty/Carton
125026	255×36T	25


## 40T STANDARD TYPE



- You don't get tired and sick because it has very few vibrations.
- Up to 5cm thin trees and bamboo, can be cut too.

Code	Diameter x Teeth number (T)	Qty/Carton
125027	255×40T	25

## 3S WHITE



For Battery machines

- For battery and electric brush cutters.
- Ideal for use at low RPM.



Code	Diameter x Teeth number (T)	Qty/Carton
0112	230×32T	25

## Accessory


Improve your work more efficiently.

### KURUKURU BOWL Brush cutter stabilizer



Light & Tough

- The bowl rotates with blades, so your work becomes much easier.
- Super lightweight: 70g  
→ You don't get tired!



Code	Qty/Carton
0836	24

### HEXAGON BLADE Grass tangle prevention parts for brush cutters



↑ Using image

Decreasing grass entanglement dramatically

- The blade cuts grasses on the blade so, you are free from the stress of tangled grass!
- Adaptable for blades and nylon trimmer line
- 2 pcs/set

Code	Qty/Carton
0786	24

# MUSOU TWIN BLADE



**MUSOU**  
TWIN BLADE  
TWB-230



Managed by MLIT, NETIS registration product  
Registration number : KK-190011-VE



Revolutionary Scissors  
Prevent scattering stones and kickback.  
Safe mowing!!


### Safety

Prevents stones' scattering and kick-back thanks to a revolutionary scissor system.



### Durability

Three gears can break up the load.  
The blades have high durability.




### High quality

It achieved overwhelming cutting quality and it reduced noise !

Prevent the grass get tangled in the blades by making ribs! Reduce the touching area with the bottom blade so that it can reduce sliding load and noise.

◎The blades using high-grade steels are heat-treated and they achieved best hardness for mowing.

[Top Blade]



Rib processing



Only a light blue parts touching to the bottom blade.



Top grinding  
Side grinding

Cutting quality up.  
(two surfaces grinding.)

Cutting edge is a dimple shape and it has a sharpness by two surfaces grinding.

### KURUKURU BOWL for MUSOU



By sliding the blade with KURUKURU BOWL, your work will be very easy.

Model	TWB-230 STANDARD	TWB-230 STRONG
Adaptable pipe diameter	φ24mm & φ25mm	φ26mm & φ28mm
Attached drive shaft adapter		

※Please select proper TWB-230 according to your brush cutter

Code	MUSOU TWIN BLADE Description	Qty / Carton
0620	TWB-230 STANDARD	6pcs
0647	TWB-230 STRONG	6pcs
0621	TWB-230 Spare blade	20pcs
0622	TWB-230 Spare blade 40P	20pcs
0632	TWB-230 Adapter SP set	20pcs
0643	TWB-230 Adapter square 5.2mm	100pcs
0648	TWB-230 Collar for 25.4mm	—
0837	KURUKURU BOWL for MUSOU	24pcs

※The products listed in this catalog are subject to change in specifications or appearance for improvement without announce.



# Nylon cutter



## Safety cutter E3 Insert type

Easy 3-step Insert, Hook, Set!




Code	Name	Qty/Carton
0925	Safety cutter E3	20
0926	Spare code 20cm Aledge 4 Straight	20
0927	Spare code 20cm Aledge 3 Twist	20
0925: Diameter 100mm, Height 20mm Washer, Aledge 4 Straight·3 Twist 20cm 10 pcs/each (Total: 20 pcs) 0926: Aledge 4 Straight 2.4mm×20cm 50 pcs 0927: Aledge 3 Twist 3.4mm×20cm 30 pcs		



## Slimkun Insert type

Easy code changing  
- Just insert the new code!



Only 120g - Lightest model

Code	Name	Qty/Carton
0552	Slimkun	60
0559	Spare code	60

0552: Diameter 120mm Height 14mm  
Orange circle 3.0mm×20cm 8 pcs  
0559: Orange circle 3.0mm×20cm 30 pcs

## ERBA AE Manual wind-up type

Strong Aluminum body



Can be replaced while attached to the brush cutter!

Code	Name	Qty/Carton
0950	ERBA AE	50

Diameter 120mm Height 30mm  
Square 2.2mm×0.5m 2 pcs

# Nylon code Spool type

Strong and Sharp! **ERBA**  
Aluminum-containing Aledge series

## Aledge 3 Twist

3.4mm thickness



Code	Length	Carton
0532	50m	24

## Aledge 4 Straight

2.4mm thickness



Code	Length	Carton
0502	50m	30
0503	100m	24

## Aledge 4 Twist

2.4mm thickness



Code	Length	Carton
0507	50m	36
0508	100m	6

(※0508 100m = Bobin type)

## Aledge 5 Straight

2.7mm thickness



Code	Length	Carton
0512	50m	30
0513	100m	24

## Aledge 5 Twist

2.7mm thickness



Code	Length	Carton
0517	50m	36

## Aledge 6 Straight

3.0mm thickness



Code	Length	Carton
0522	50m	30
0523	100m	24

## Aledge 6 Twist

3.0mm thickness



Code	Length	Carton
0527	50m	36

# Hand tools




## Weed scraper

You can remove the weeds from their roots while standing

- Push and scrape, Pull and cut
- Light weight
- Easy to carry by disassembling

### Purpose

Garden, Stony area, Roadside  
Place you cannot use machines



Front teeth:  
Scraping grass




Side teeth: Pull grass



1. Push (Scrape)

2. Pull (Cut)

3. Remove




Code	Name	Qty/Carton
0876	Weed scraper	1
0877	Spare blade	-

Full length : 134cm Weight : 675g  
Material Blade: High-grade steel  
Handle: Aluminum

## Hienukukaru

You can remove the weeds while standing

- Pull and Cut
- Another teeth on the back side cuts weeds (very well)



Teeth catch the weeds' roots


Blade shape

Cutting teeth



Insert the blade into the ground and pull it out

Cut the weeds



Remove

Cut

Code	Name	Qty/Carton
0868	Hienukukaru	12
0867	Spare blade	12

Full length : 78cm Weight : 270g  
Material Blade: Special steel with plating  
Handle: Aluminum





Hatake no shaver L (Light) Lightweight but super sharp.  
Good for not only petrol engines but also battery and electricity types.



PAT

- The jugged teeth eliminate the weeds from their roots.
- No damage to crops and fruit trees.
- No crouching No pain - You can work while standing.




Code	Name	Diameter x Teeth number (T)	Qty/Carton
0830	Hatake no shaver L (Light)	129×2T	40
0831	Spare blade	129×2T	20

Hatake no shaver DX For a large area



Design acquired

- Easy mowing
- No damage to crops and fruit trees.
- No crouching No pain - You can work while standing.



Code	Name	Diameter x Teeth number (T)	Qty/Carton
0863	Hatake no shaver DX	158×3T	40
0864	Spare blade	158×3T	20

Mizukusa cutter Stir the mud in the water and eliminate weeds with their roots.



- For rice fields, this is perfect.  
(Recommended 1 week to 1 month after rice planting)
- By stirring mud, rice plants get stimulated and grow strongly.



Code	Name	Diameter x Teeth number (T)	Qty/Carton
0857	Mizukusa cutter	135×5T	60

- Easy mowing
- Its compact size makes it ideal for areas that cannot be done with large machines.
- No damage to rice plants
- Less water splash

Nakaboshi no tatsujin Weeding without damage to crops



Design acquired

- Adjustable mowing height
- Easy setting
- Very good for rice and vegetable (soybean and corn etc...) fields.



Good for rice fields during the dry season and vegetable fields

Code	Name	Diameter x Teeth number (T)	Qty/Carton
0845	Nakaboshi no tatsujin	—	12
0848	Spare blade	130×8T	20

Protect cutter Very good for mowing around fences and poles



PAT

- The yellow cover prevents the blade from cutting poles and fences.
- Super sharp by Sanyo's technique.
- Economical - The blade can be used on both sides.



Poles



Fences



Code	Name	Diameter x Teeth number (T)	Qty/Carton
0838	Protect cutter	-	12
0839	Spare blade	200×4T	25

Harvest knife For sugar cane



- Set to brush cutter like other blades.
- Reduce fatigue thanks to standing work.
- Sanyo's original teeth catch grass firmly, so you can cut a lot at once.





Code	Name	Diameter x Teeth number (T)	Qty/Carton
125034	Harvest knife	305×3T	20







Pruning Saw/Gardening and Fruit Tree  
Homeowners and any type of peoples want to cut 15mm to 50mm branches.



Code	Description	Blade Length	Q'ty /Carton	Pitch	For use
1252	UK-2100	210mm	60pcs	3.0mm	
1253	UK-2400	240mm	60pcs	3.0mm	
1254	UK-2700	270mm	60pcs	3.0mm	
1255	UK-3000	300mm	60pcs	3.5mm	
Pruning Saw Spare Blade					
1302	UK-2100K	210mm	12pcs	3.0mm	
1303	UK-2400K	240mm	12pcs	3.0mm	
1304	UK-2700K	270mm	12pcs	3.0mm	
1305	UK-3000K	300mm	12pcs	3.5mm	



Pruning Saw/Fruit Tree  
Fruits Growers and Farms:  
Artificial Pruning for small branches from 10mm to 30mm



Code	Description	Blade Length	Q'ty /Carton	Pitch	For use
<a href="#">1272</a>	KP-2100	210mm	60pcs	2.5mm	
<a href="#">1273</a>	KP-2400	240mm	60pcs	2.5mm	
<a href="#">1274</a>	KP-2700	270mm	60pcs	2.5mm	
<a href="#">1275</a>	KP-3000	300mm	60pcs	2.5mm	
Pruning Saw Spare Blade					
<a href="#">1322</a>	KP-2100K	210mm	12pcs	2.5mm	
<a href="#">1323</a>	KP-2400K	240mm	12pcs	2.5mm	
<a href="#">1324</a>	KP-2700K	270mm	12pcs	2.5mm	
<a href="#">1325</a>	KP-3000K	300mm	12pcs	2.5mm	



Pruning Saw/Forest  
Forestry Landscapers and Farmers:  
Cutting trees and big branches from 50mm to 120mm



Code	Description	Blade Length	Q'ty /Carton	Pitch	For use
1263	UP-2400	240mm	60pcs	4.0mm	
1264	UP-2700	270mm	60pcs	4.0/2.5mm	
1265	UP-3000	300mm	60pcs	4.0/2.5mm	
Pruning Saw Spare Blade					
1313	UP-2400K	240mm	12pcs	4.0mm	
1314	UP-2700K	270mm	12pcs	4.0/2.5mm	
1315	UP-3000K	300mm	12pcs	4.0/2.5mm	

※UP-2700 & UP-3000's tip have 2.5mm pitch teeth. By it, you can start cutting very smoothly.


Folding Saw

Code	Description	Blade Length	Q'ty /Carton	Pitch	For use
1292	FS-2400	240mm	60pcs	4.0mm	 
Pruning Saw Spare Blade					
1336	FS-2400K	240mm	12pcs	4.0mm	

Features and Benefits



- ① Impulse hardening   
Impulse hardening produces ultra-hard edges.
- ② A rip saw   
Allows effortless vertical, horizontal, and diagonal cutting thanks to the use of rip blade.
- ③ Hard chrome plating   
Hard chrome plating resists rusts and the adhesion of tar.
- ④ Hollow grinding   
The polishing to reduce thickness at the center of a blade eliminates the necessity of alternate top bevels and produces clean cut surfaces.
- ⑤ Comfortable grip   
The ergonomic design allows you to have the saw for a long time without getting tired.



Pruning Scissors ZS-185/210 Promise comfortable long work by its incredible sharpness.



ZACT Scissor blade

- ① High-grade material specialized for a blade with plating. Tough and sharp teeth.
- ② The chrome bolt always keeps the blades tightly.

ZACT Scissor grip

- ③ Shock absorbing cushion.
- ④ A plate also holds blades tightly.
- ⑤ A lever that can be easily opened and closed with your thumb.
- ⑥ Light-weight and Anti-slip hard grip.



Made in Japan

Code	Name	Length(mm)	Carton
1220	ZS-185	185	60
1221	ZS-210	210	60



Loppers ZL-500/650

From cutting thick branches to post-processing of pruning. Everyone can cut easily.



- Because it's light-weight, everyone can use it without stress.
- Beautiful cutting surface.
- By gear mechanism, it can cut even thick branches.
- For post-processing, this lopper is perfect.

Code	Name	Length(mm)	Carton
1207	ZL-500	500mm	6
1208	ZL-650	650mm	6



【Anvil】

Since you cut a branch as if a kitchen knife and a chopping board, the cutting surface is beautiful. The branch does not wither or become sick easily. The inside and outside of the upper blade performed double grinding so it could cut well.



【Gear type】

Cut 30mm diameter branches easily by gear structure. Even women and elderly people can use these Loppers easily.







## Ride-On Mower free-knife



- Very sharp Y-shaped knife
- 2 step cutting teeth significantly reduces uncut grass.
- Grinded teeth
- By using spring material, it achieves incredible durability.
- Upper knife has reverse tooth that is resistant to soil abrasion and rough terrain.



Comparison of Upper and Under knife		Upper knife	Under knife
	Grass type	Tough grass	Soft grass
	Cutting height	High	Low
	Durability		

Code	Name	Size	Adaptable machines		
0464	W cut 60 Under knife (Blue)	140×60×6.0	OREC	RM80, 81, 82	RMJ800
			KIORITZ	RM80, 81	
			ISEKI AGRI	ARM81	
			CANYCOM	CM181, 182, 211, 212, 220, 221, 223, 1401, 1402,	
			1502, 1603, 1801, 2103, 2104, 2203	CMX222	
	MARUYAMA		MGA183, 210, 211, 212, 213, 220, 223, 228, 229		
0465	W cut 60 Upper knife (Red)			MPM187, 950, 1350	
			MAMETORA	MPM187, 950, 960, 1350	
			FUJII	MB1018, 1021	ME1017X
※If the Installation point width is 60mm and using an M12 bolt, it will adapt.					

0466	W cut 70 Under knife (Black)		OREC	RM83, 85, 86, 88, 95, 97, 98, 830, 831, 881, 883, 950, 951, 953, 980, 981, 982, 983, 984	RMK150, 151, 160, 161, 180, 1600	RMT110(4pcs / required 2sets)
			KIORITZ	RM86, 97, 98, 830, 831, 881, 883, 951, 953, 980, 981, 983, 984	KM950A/21, 960, 961	RMK160, 161, 1600
0467	W cut 70 Upper knife (Silver)	145×70×6.0	ATEX	880, 950	R-803, 805, 885, 951, 953, 955, 960, 963, 8016, 8816, 9520, 9820, 9824	
			ISEKI AGRI	ARM89, 97, 98, 980	RM86A, 831, 883, 953, 983	RMK151, 160, 161, 180, 1600
0489	70 rectangular knife (Black)		MARUYAMA	MGA163, 165		
			※If the Installation point width is 70mm and using an M14 bolt, it will adapt.			

Qty/Carton 10set (2pcs/set)

Code	Name	Contents
0475	M12 bolt set	Bolt 12x35, Nut M12, Nut guard M12 1 pc/each
0476	M14 bolt set	Bolt 14x35, Nut M14, Nut guard M14 1 pc/each


※2 bolt sets / 1 knife set (2 pcs) Qty/Carton 20set

Code	Name	Size	Adaptable machines
0471	ACollarM12	Outer diameter21.7mm/Inner diameter12.8mm/Thickness6.5mm	CANYCOM・MARUYAMA
0472	BCollarM12	Outer diameter20.0mm/Inner diameter12.5mm/Thickness6.6mm	OREC・KIORITZ ISEKI AGRI・FUJII
0474	DCollarM14	Outer diameter20.8mm/Inner diameter14.2mm/Thickness6.7mm	OREC・KIORITZ ISEKI AGRI・ATEX

Qty/Carton 100set (2pcs/set)

## SP Type Self-Moved Mower free knife

Material: SUP10 Thickness: 3.2mm



Adaptable machines  
OREC・ISEKI AGRI  
SP301, 301A, 431F, 851AF,  
852AF, 852F, 853  
KIORITZ  
AZ301, 301A, 431F, 851AF,  
852AF, 852F, 853  
※SP301&AZ301  
・ 4 pcs/machine without washer.  
→1 set = 2 machines

Code Name


## 0616 SP Type Self-Moved Mower free knife





Qty/Carton 10set

※1set contents : Knife8pcs/Bolt 4pcs/Nut M10 6pcs (Knife4pcs・Substrate 2pcs) / Spring washer 10mm 2pcs/Washer 10x30x3.2mm 2pcs

## WM Type Self-Moved Mower free knife

Material: SUP10 Thickness: 3.2mm



	Before	After (3 hours)
Sanyo		
Other		

Adaptable machines  
OREC RCSP530 WM736BF, 746F, 747Pro, 757Pro  
WMC726AF, 736F, 747P, 1317F  
KIORITZ AZ736BF, 746F, 757AZC726AF, 736F, 747, 1317F, RCM530  
ISEKI AGRI WM746F, 757P, 757P-J WMC736F

※RCSP530&RCM530・ 4 pcs/machine without washer.  
→1 set = 2 machines

Code Name

## 0607 WM Type Self-Moved Mower free knife

Qty/Carton 10set

※1set contents : Knife 8pcs/ Body Installation Bolt 4pcs/Bolt 4pcs/Nut M10 4pcs/ Spring washer 8mm 4pcs/Washer 12.5×22×2.3mm 4pcs

## Hammer Knife Mower blade Hammer Knife Mower bolt set

(Forged blade) Material: SUP10 Thickness: 4.5mm



↓Installation image



Code	Name
0700	Hammer Knife Mower blade
0703	Hammer Knife Mower bolt set

### Usage

Mowing in the orchard like apples and grapes.

Grass cutting in large areas like fallow fields, vacant lots, parks, riverbeds, etc...

Stem and leaf processing • Shredding of leaves etc...





**SANYO METAL WORKS Co., Ltd.**

301-1, Torimachi, Miki, Hyogo, 673-0456, Japan  
TEL : +81-794-83-5100 FAX : +81-794-83-6007  
Mail : [export-dept@sanyo-mt.co.jp](mailto:export-dept@sanyo-mt.co.jp)



◀ Website  
QR code



◀ YouTube  
QR code

AGENT